# Affordable Tiles 2026

style & value for every space

SANIPEXGROUP

# TRANSFORM YOUR SPACE.

From bathrooms, kitchens and living areas to entrance halls, patios and pools, adding carefully selected tiles to both indoor and outdoor spaces can elevate your home from being merely ordinary to simply extraordinary.

Created for price-conscious individuals who are not prepared to compromise on style or quality, the Affordable Tile Collection allows you to create beautiful interior and outdoor spaces without blowing the budget.

Sourced from leading European suppliers, our collection is curated in line with global design trends and created to work with different design aesthetics. With numerous options to choose from in a variety of stunning materials and finishes, from cement, marble and stone to wood and terrazzo in different shapes and sizes, you can be guaranteed to find the perfect complement to your individual sense of style.

Be inspired by on-trend room sets, design-led mood boards and our well-stocked tile galleries at the SANIPEX GROUP showrooms located across the UAE or take a virtual tour of the SANIPEX GALLERY in Dubai at www.sanipexgroup.com.

5 MARBLE
17 ONYX
23 CONCRETE
45 STONE
99 TRAVERTINE
105 TERRAZZO
113 WOOD
127 METAL
131 SOLID COLOUR
139 SMALL FORMAT
173 GLASS MOSAICS

176 SLAB FABRICATION FACILITY
178 CUTTING & CUSTOMISATION
181 TECHNICAL INFORMATION

# MARBLE

**Agra** 6
**Corsair** 7
**Boutique** 8
**Monroe** 10
**Marmo D'Oro** 11
**Paphos** 12
**Prestige** 13
**Iconic** 14

**Agra**
60 x 120 cm
Rectified
Shade Variance: V3
0.9 cm

| Agra **Matt** | ฿ *M²* | Agra **Polished** | ฿ *M²* |
|---|---|---|---|
| BDT-AGRA-60120M | **145.00** | BDT-AGRA-60120P | **175.00** |
| WALL FLOOR | | WALL FLOOR | |

*Also available in Slab 120 x 260 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Corsair**
Statuario Matt
120 x 120 cm
Rectified
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-COR-120120M-ST | **185.00** |

WALL FLOOR

**Corsair**
60 x 120 cm
0.9 cm

| **Rectified** Statuario **Matt** Shade Variance: V3 | ₯ M² | **Rectified** Statuario **Polished** Shade Variance: V3 | ₯ M² |
|---|---|---|---|
| BDT-COR-60120M-ST | **145.00** | BDT-COR-60120P-ST | **175.00** |

WALL FLOOR

*Also available in Slab 120 x 260 cm, Matt & Polished

For more technical information, please see page 181

Indoor Use
Indoor & Outdoor Use

**Boutique**
Calacatta Matt
60 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V3
0.85 cm

| | ₯ M² |
|---|---|
| DCL-GCBO20-CAL | **200.00** |

*Also available in Polished finish sizes 60 x 120 cm & 120 x 120 cm




Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Boutique**
Calacatta Oro Matt
60 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V3
0.85 cm

| | ₪ M² |
|---|---|
| DCL-GCBO07R-CO | **200.00** |

*Also available in Polished finish &
Slab 120 x 278 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Monroe**
Calacatta Gold Polished
60 x 120 cm
Rectified
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-MON-60120P-CA | **175.00** |

*Also available in size 120 x 120 cm & Slab 120 x 260 cm

WALL FLOOR

Indoor Use
Indoor & Outdoor Use

For more technical information, please see page 181

**Marmo D'Oro**
Marmo D'Oro Matt
79.8 x 79.8 cm
Rectified
Slip Resistance: R9
1 cm

| | ₯ M² |
|---|---|
| BDT-1245079807981014 | **180.00** |

*Also available in Slab 119.8 x 274.8 cm, Polished finish

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Paphos**
Sabbia Matt
60 x 120 cm
Rectified
Shade Variance: V3
0.89 cm

| | ₪ M² |
|---|---|
| BDT-PAP-60120M-SA | **145.00** |

WALL FLOOR

*Also available in Slab 120 x 280 cm

Indoor Use
Indoor & Outdoor Use

For more technical information, please see page 181

**Prestige**
Invisible Gold Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3

0.9 cm

| | ₯ M² |
|---|---|
| BDT-PRE12601 | **200.00** |



**Prestige**
Invisible Gold Rigato Matt
60 x 120 cm
Rectified
Shade Variance: V3

0.9 cm

| | ₯ M² |
|---|---|
| BDT-PRERIG01 | **200.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Iconic**
Agata Black Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ฿ M² |
|---|---|
| BDT-AGA12602 | **195.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Iconic**
Agata Acqua Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ₯ M² |
|---|---|
| BDT-AGA12601 | **195.00** |

**Iconic**
Agata Silver Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ₯ M² |
|---|---|
| BDT-AGA12605 | **195.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

# ONYX

**Prestige** 18

**Prestige**
Onice Acqua Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₱ M² |
|---|---|
| BDT-PRE12604 | **200.00** |



**Prestige**
Onice Acqua Rigato Matt
60 x 120 cm
Rectified
Shade Variance: V3
0.9 cm

| | ₱ M² |
|---|---|
| BDT-PRERIG04 | **200.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Prestige**
Onice Silver Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-PRE12606 | **200.00** |

**Prestige**
Onice Silver Rigato Matt
60 x 120 cm
Rectified
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-PRERIG06 | **200.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Prestige**
Onice White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3

0.9 cm

| | ₪ M² |
|---|---|
| BDT-PRE12607 | **200.00** |

**Prestige**
Onice White Rigato Matt
60 x 120 cm
Rectified
Shade Variance: V3

0.9 cm

| | ₪ M² |
|---|---|
| BDT-PRERIG07 | **200.00** |

*Also available in size 120 x 120 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Prestige**
Onice Black Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₫ M² |
|---|---|
| BDT-PRE12605 | **200.00** |

**Prestige**
Onice Black Rigato Matt
60 x 120 cm
Rectified
Shade Variance: V3

0.9 cm

| | ₫ M² |
|---|---|
| BDT-PRERIG05 | **200.00** |

Onice Black / Onice Black Rigato

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

# CONCRETE

**Area** 24
**Essence** 25
**Eternal** 26
**Grey Wind** 27
**Matera** 28
**Rawtech** 29
**Rebel** 30
**Spatula** 34
**Riviera** 36
**Timeline** 37
**Torano** 42
**Town** 43

**Area**
Avorio Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₱ M² |
|---|---|
| CEU-120AREAV | **165.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Essence**
Colonial Materia Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ₯ M² |
|---|---|
| BDT-MAT6001 | **160.00** |

**Essence**
Urban Materia Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ₯ M² |
|---|---|
| BDT-MAT6003 | **160.00** |

**Essence**
Colonial Materia Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ₯ M² |
|---|---|
| BDT-MAT12601 | **200.00** |

*Matching Terrazzo see page 108

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Eternal**
Grigio Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₪ M² |
|---|---|
| BDT-ETE60120GR-GR | **160.00** |



**Eternal**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₪ M² |
|---|---|
| BDT-ETE60120WH-WH | **160.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Grey Wind**
Light Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

BDT-5901503201824-LI
₯ M²
**120.00**



**Grey Wind**
Light Matt
30 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.7 cm

BDT-5901503222980-LI
₯ M²
**120.00**



**Grey Wind**
Light Matt
60 x 120
Rectified
Slip Resistance: R10
Shade Variance: V1
1 cm

BDT-5901503217689-LI
₯ M²
**145.00**

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Matera**
Grey Matt
60 x 120 cm
Rectified
Shade Variance: V3
1 cm

| | ₪ M² |
|---|---|
| BDT-5901503226452-GY | **165.00** |

WALL FLOOR



**Matera**
White Matt
60 x 120 cm
Rectified
Shade Variance: V3
1 cm

| | ₪ M² |
|---|---|
| BDT-5901503226476-WH | **165.00** |

WALL FLOOR

Indoor Use  Indoor & Outdoor Use

For more technical information, please see page 181

**Rawtech**
White Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

| | ₯ M² |
|---|---|
| BDT-5901503228838-WH | **120.00** |

**Rawtech**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
1 cm

| | ₯ M² |
|---|---|
| BDT-5901503229187-WH | **145.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Rebel**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₱ M² |
|---|---|
| CEU-120REBWH | **165.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Rebel**
Bone Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| CEU-120REBBO | **165.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Rebel**
Olive Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₱ M² |
|---|---|
| CEU-120REBOL | **165.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Rebel**
Stardust Cold Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₪ M² |
|---|---|
| CEU-120STACO | **190.00** |

**Rebel**
Stardust Warm Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₪ M² |
|---|---|
| CEU-120STAWA | **190.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use



**Spatula**
White Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₯ M² |
|---|---|
| CEU-60SPAWH | **145.00** |

**Spatula**
White Matt
30 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₯ M² |
|---|---|
| CEU-30SPAWH | **145.00** |

**Spatula**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₯ M² |
|---|---|
| CEU-120SPAWH | **165.00** |

*Also available in size 120 x 120 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Spatula**
Victorian Orange Matt
60 x 120 cm
Rectified
Slip Resistance: R10
0.95 cm

| | ₪ M² |
|---|---|
| CEU-SPAVICOR | **190.00** |

**Spatula**
Victorian Blue Matt
60 x 120 cm
Rectified
Slip Resistance: R10
0.95 cm

| | ₪ M² |
|---|---|
| CEU-SPAVICBL | **190.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Riviera**
White Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.95 cm

BDT-5901503233665-WH ฿ M² **200.00**

**Riviera**
White Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

BDT-5901503204856-WH ฿ M² **120.00**

**Riviera**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.95 cm

BDT-5901503200612-WH ฿ M² **145.00**

**Riviera**
White Matt
30 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.7 cm

BDT-5901503228777-WH ฿ M² **120.00**

**Riviera**
Silver Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

BDT-5901503229439-SL ฿ M² **120.00**

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Timeline**
60 x 60 cm
0.85 cm

| **Rectified** | | **Non-Rectified** | |
|---|---|---|---|
| Bianco **Matt** | | Bianco **Grip** | |
| Slip Resistance: R10 | | Slip Resistance: R12 | |
| Shade Variance: V1 | ₯ *M²* | Shade Variance: V1 | ₯ *M²* |
| DCL-G9TL10R-BI | **140.00** | DCL-G9TL10GRI-BI | **160.00** |



**Timeline**
Bianco Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₯ *M²* |
|---|---|
| DCL-GCTL10R-BI | **190.00** |

*Also available in size 120 x 120 cm & Slab 120 x 278 cm, 60 x 120 cm in 2 cm thickness, R11 for Outdoor Use

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Timeline**
Absolute White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₱ M² |
|---|---|
| DCL-GCTL20R-ABW | **190.00** |

*Also available in size 120 x 120 cm & Slab 120 x 278 cm

Absolute White

Indoor & Outdoor Use

Wall & Floor Use

For more technical information, please see page 181

**Timeline**
60 x 60 cm
0.85 cm

| **Rectified** | | **Non-Rectified** | |
|---|---|---|---|
| Grey **Matt** | | Grey **Grip** | |
| Slip Resistance: R10 | | Slip Resistance: R12 | |
| Shade Variance: V1 | ₯ *M²* | Shade Variance: V1 | ₯ *M²* |
| DCL-G9TL05R-GR | **140.00** | DCL-G9TL05GRI-GR | **160.00** |

**Timeline**
Grey Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₯ *M²* |
|---|---|
| DCL-GCTL05R-GR | **190.00** |

*Also available in size 120 x 120 cm & Slab 120 x 260 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Timeline**
Beige Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₪ M² |
|---|---|
| DCL-G9TL11R-BG | **140.00** |

**Timeline**
Beige Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₪ M² |
|---|---|
| DCL-GCTL11R-BG | **190.00** |

**Timeline**
Taupe Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₪ M² |
|---|---|
| DCL-G9TL09R-TA | **140.00** |

*__Beige Matt__ also available in sizes 120 x 120 cm & Slab 120 x 260 cm
*__Taupe Matt__ available in Slab 120 x 260 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Timeline**
Coral Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

DCL-GCTL16R-COR

₯ M²
**190.00**

**Timeline**
Sun Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

DCL-GCTL07RJ-SUN

₯ M²
**190.00**

*__Sun Matt__ also available in Slab 120 x 260 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Torano**
White Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
0.8 cm

| | ₪ M² |
|---|---|
| BDT-1184119805981156 | **195.00** |

*White Matt also available in 59.8 x 59.8 cm in 1.8 cm thickness, R11 for Outdoor Use



**Torano**
Beige Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
0.8 cm

| | ₪ M² |
|---|---|
| BDT-1184119805981172 | **195.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Town**
Beige Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

| | ₪ M² |
|---|---|
| BDT-5901503200957-BG | **120.00** |



**Town**
Beige Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.95 cm

| | ₪ M² |
|---|---|
| BDT-5901503207000-BG | **145.00** |

*Also available in size 60 x 60 cm in 2 cm thickness, R11 for Outdoor Use

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

# STONE

**Architecht** 46
**Ardesia** 49
**Arena** 50
**Bastakiya** 51
**Blend** 54
**Burlington Stone** 55
**Docks** 56
**Elysium** 59
**Ecostone** 60
**Gardena** 62
**Grand Cave** 63
**Hard Rock** 64
**La Geoteca** 65
**Lava** 66
**Lavaredo** 68
**Mantigo** 70
**Massa** 71
**Milano** 72
**Nesting** 73
**Nara** 74
**Provence** 78
**River Cliff** 81
**Revel** 82
**Saint Laurent** 84
**Sensoria** 86
**Soul** 87
**Surround** 90
**Vitesse** 92
**Zimba** 95
**Wild** 96

**Architecht**
Ash Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-ARC-120120M-AS | **185.00** |

**Architecht**
Ash Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-ARC-8080M-AS | **140.00** |

*Also available in Slab 120 x 260 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Architecht**
Bone Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₪ M² |
|---|---|
| BDT-ARC-120120M-BN | **185.00** |

**Architecht**
Bone Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₪ M² |
|---|---|
| BDT-ARC-8080M-BN | **140.00** |

*Also available in Slab 120 x 260 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Architecht**
Nut Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-ARC-120120M-NU | **185.00** |

**Architecht**
Nut Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-ARC-8080M-NU | **140.00** |

*Also available in Slab 120 x 260 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Ardesia**
Sabbia Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | Đ M² |
|---|---|
| BDT-PL496N-SA | **145.00** |

**Ardesia**
Sabbia Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | Đ M² |
|---|---|
| BDT-PL4991-SA | **160.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Arena**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V3
1 cm

| | Đ M² |
|---|---|
| BDT-5901503232507-WH | **145.00** |

*Also available in size 120 x 120 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Bastakiya**
Perla Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-BAS-120120M-PRL | **185.00** |

**Bastakiya**
Perla Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-BAS-8080M-PRL | **140.00** |

**Bastakiya**
Perla Matt
80 x 160 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-BAS-80160M-PRL | **160.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Bastakiya**
Blanco Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ฿ M² |
|---|---|
| BDT-BAS-120120M-BLA | **185.00** |



**Bastakiya**
Blanco Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ฿ M² |
|---|---|
| BDT-BAS-8080M-BLA | **140.00** |



**Bastakiya**
Blanco Matt
80 x 160 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ฿ M² |
|---|---|
| BDT-BAS-80160M-BLA | **160.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Bastakiya**
Beige Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-BAS-120120M-BG | **185.00** |

**Bastakiya**
Beige Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-BAS-8080M-BG | **140.00** |

**Bastakiya**
Beige Matt
80 x 160 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-BAS-80160M-BG | **160.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Blend**
Dune Silver Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-DUN6003 | **160.00** |

**Blend**
Dune Silver Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-DUN12603 | **195.00** |

*Matching with Blend Gravel, see page 106

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Burlington Stone**
Pearl Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

GAR-55300 — ฿ *M²* **200.00**

**Burlington Stone**
Rock Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

GAR-55302 — ฿ *M²* **200.00**

*__Rock Matt__ also available in size 80 x 180 cm & 60 x 120 cm, R11 for Outdoor Use

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Docks**
Beige Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | Đ M² |
|---|---|
| CEU-120DOCBE | **165.00** |

**Docks**
Cannettato Decor Beige Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | Đ M² |
|---|---|
| CEU-120DOCCABE | **190.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Docks**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ฿ M² |
|---|---|
| CEU-120DOCWH | **165.00** |

**Docks**
Cannettato Decor White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ฿ M² |
|---|---|
| CEU-120DOCCAWH | **190.00** |

*Also available in size 120 x 120 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Docks**
Grey Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₱ M² |
|---|---|
| CEU-120DOCGR | **165.00** |

**Docks**
Cannettato Decor Grey Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₱ M² |
|---|---|
| CEU-120DOCCAGR | **190.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Elysium**
60 x 120 cm
Rectified
Shade Variance: V2
0.95 cm

| White **Matt** | | White **Grip** | |
|---|---|---|---|
| Slip Resistance: R10 | ₪ M² | Slip Resistance: R11 | ₪ M² |
| CEU-8004923-WH | **165.00** | CEU-8005230-WH | **165.00** |

**Elysium**
60 x 120 cm
Rectified
Shade Variance: V2
0.95 cm

| Beige **Matt** | | Beige **Grip** | |
|---|---|---|---|
| Slip Resistance: R10 | ₪ M² | Slip Resistance: R11 | ₪ M² |
| CEU-8004924-BG | **165.00** | CEU-8005231-BG | **165.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Ecostone**
Bianco Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| CEU-60ECOBI | **145.00** |

**Ecostone**
Bianco Matt
30 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| CEU-30ECOBI | **145.00** |

**Ecostone**
Bianco Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| CEU-120ECOBI | **165.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Ecostone**
Grigio Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | |
|---|---|
| | ₯ M² |
| CEU-60ECOGR | **145.00** |



**Ecostone**
Grigio Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | |
|---|---|
| | ₯ M² |
| CEU-120ECOGR | **165.00** |

Grigio

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Gardena**
Nero Matt
60 x 60 cm
Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ₪ M² |
|---|---|
| DCL-G9GR08R-NE | **140.00** |



**Gardena**
Bianco Matt
60 x 60 cm
Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ₪ M² |
|---|---|
| DCL-G9GR10R-BI | **140.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Grand Cave**
Ivory Matt
79.8 x 79.8 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.8 cm

BDT-1218079807981128 | ₮ M² **180.00**

**Grand Cave**
White Matt
79.8 x 79.8 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.8 cm

BDT-218079807981079 | ₮ M² **180.00**

*Also available in size 79.8 x 159.8 cm, Slab 119.8 x 274.8 cm, & 59.8 x 59.8 cm, 1.8 cm thickness, R11 for Outdoor Use

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Hard Rock**
Sea Matt
30 x 60 cm
Rectified
Slip Resistance: R10 (A+B)
Shade Variance: V4
1 cm

| | ₱ M² |
|---|---|
| BDT-HAR3604 | **160.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**La Geoteca**
Limestone Matt
80 x 80 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.85 cm

| | ₯ M² |
|---|---|
| GAR-0012080 | **200.00** |

*Also available in R11 for Outdoor Use &
Slab 120 x 280 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Lava**
Sabbia Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | Đ M² |
|---|---|
| BDT-LAV12605 | **195.00** |



**Lava**
Sabbia Rigato Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | Đ M² |
|---|---|
| BDT-LAVRIG05 | **200.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Lava**
Nero Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-LAV12603 | **195.00** |



**Lava**
Nero Rigato Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-LAVRIG03 | **200.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Lavaredo**
Bianco Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.85 cm

| | ₫ M² |
|---|---|
| DCL-GCLA10R-BI | **190.00** |



**Lavaredo**
Bianco Matt
30 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.85 cm

| | ₫ M² |
|---|---|
| DCL-G8LA10R-BI | **135.00** |

*60 x 120 cm, 0.85 cm also available in Grip, 60 x 90 cm in 2 cm thickness, R11 for Outdoor Use

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Lavaredo**
Grigio Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.85 cm

| | ₪ M² |
|---|---|
| DCL-GCLA05R-GR | **190.00** |

*__Grigio Matt__ also available in sizes 60 x 120 cm & 60 x 90 cm in 2 cm thickness, R11 for Outdoor Use



**Lavaredo**
Nero Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.85 cm

| | ₪ M² |
|---|---|
| DCL-GCLA08R-NE | **190.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Mantigo**
Ivory Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R9
0.8 cm

| | ₪ M² |
|---|---|
| BDT-1338119805981004 | **195.00** |

*Also available in Slab 119.8 x 274.8 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Massa**
Massa Matt
79.8 x 79.8 cm
Rectified
Shade Variance: V2
0.8 cm

| | ₯ M² |
|---|---|
| BDT-1182079807981023 | **180.00** |

*Also available in Slab 119.8 x 274.8 cm & 59.8 x 59.8 cm, 1.8 cm thickness, R11 for Outdoor Use

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Milano**
Bianco Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | ₯ M² |
|---|---|
| BDT-5000175-BI | **145.00** |

**Milano**
Bianco Matt
60 x 119.5 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | ₯ M² |
|---|---|
| BDT-5000172-BI | **160.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Nesting**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₯ M² |
|---|---|
| DCL-GCNS10R-WH | **190.00** |

*Also available in size 120 x 120 cm & Slab 120 x 278 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Nara**
Bianco Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ฿ M² |
|---|---|
| BDT-NARA-120120M-BI | **185.00** |

**Nara**
Bianco Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ฿ M² |
|---|---|
| BDT-NARA-60120M-BI | **145.00** |

*Also available in Slab 120 x 260 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Nara**
Avorio Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₫ M² |
|---|---|
| BDT-NARA-120120M-AV | **185.00** |

**Nara**
Avorio Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₫ M² |
|---|---|
| BDT-NARA-60120M-AV | **145.00** |

*Also available in Slab 120 x 260 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Nara**
Grigio Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3

0.9 cm

| | ฿ M² |
|---|---|
| BDT-NARA-120120M-GR | **185.00** |



**Nara**
Grigio Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3

0.9 cm

| | ฿ M² |
|---|---|
| BDT-NARA-60120M-GR | **145.00** |

*Also available in Slab 120 x 260 cm

Indoor & Outdoor Use

Wall & Floor Use

For more technical information, please see page 181

**Nara**
Nero Matt
120 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ฿ M² |
|---|---|
| BDT-NARA-120120M-NE | **185.00** |

**Nara**
Nero Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ฿ M² |
|---|---|
| BDT-NARA-60120M-NE | **145.00** |

*Also available in Slab 120 x 260 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Provence**
40 x 60 cm
Non-Rectified
0.95 cm

Grey **Matt**
Slip Resistance: R10
Shade Variance: V3

| | |
|---|---|
| | ₯ M² |
| CEU-4060PROGR | **165.00** |

Grey **Grip**
Slip Resistance: R11
Shade Variance: V3

| | |
|---|---|
| | ₯ M² |
| CEU-4060PROGRG | **165.00** |

**Provence**
Grey Matt
20 x 40 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | |
|---|---|
| | ₯ M² |
| CEU-2040PROGR | **165.00** |

**Provence**
Grey Matt
40 x 40 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | |
|---|---|
| | ₯ M² |
| CEU-4040PROGR | **165.00** |

**Provence**
Grey Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | |
|---|---|
| | ₯ M² |
| CEU-2020PROGR | **165.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Provence**
40 x 60 cm
Non-Rectified
0.95 cm

Beige **Matt**
Slip Resistance: R10
Shade Variance: V3

| | ₪ M² |
|---|---|
| CEU-4060PROBE | **165.00** |

Beige **Grip**
Slip Resistance: R11
Shade Variance: V3

| | ₪ M² |
|---|---|
| CEU-4060PROBEG | **165.00** |

**Provence**
Beige Matt
20 x 40 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | ₪ M² |
|---|---|
| CEU-2040PROBE | **165.00** |

**Provence**
Beige Matt
40 x 40 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | ₪ M² |
|---|---|
| CEU-4040PROBE | **165.00** |

**Provence**
Beige Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | ₪ M² |
|---|---|
| CEU-2020PROBE | **165.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Provence**
40 x 60 cm
Non-Rectified
0.95 cm

White **Matt**
Slip Resistance: R10
Shade Variance: V3

| | ₪ M² |
|---|---|
| CEU-4060PROWH | **165.00** |

White **Grip**
Slip Resistance: R11
Shade Variance: V3

| | ₪ M² |
|---|---|
| CEU-4060PROWHG | **165.00** |



**Provence**
White Matt
20 x 40 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | ₪ M² |
|---|---|
| CEU-2040PROWH | **165.00** |

**Provence**
White Matt
40 x 40 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | ₪ M² |
|---|---|
| CEU-4040PROWH | **165.00** |



**Provence**
White Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | ₪ M² |
|---|---|
| CEU-2020PROWH | **165.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**River Cliff**
Light Grey Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10 (B)
0.8 cm

| | ฿ M² |
|---|---|
| BDT-1346119805981001 | **195.00** |

*Also available in Slab 119.8 x 274.8 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Revel**
Night Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₱ M² |
|---|---|
| PAN-APGXRL40 | **200.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Revel**
Bright Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| PAN-APGXRL10 | **200.00** |

*Also available in sizes 120 x 120 cm, Slab 120 x 278 cm & 60 x120 cm in 2 cm thickness, R11 for Outdoor Use

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Saint Laurent**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10 (A+B)
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| BDT-HT00044-WH | **160.00** |

**Saint Laurent**
Leaves White Matt
60 x 120 cm
Rectified
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| BDT-HT00029-WH | **160.00** |

**Saint Laurent**
Carved White Matt
60 x 120 cm
Rectified
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| BDT-HT00049-WH | **160.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Saint Laurent**
Beige Matt
60 x 120 cm
Rectified
Slip Resistance: R10 (A+B)
Shade Variance: V2
0.95 cm

| | ₪ M² |
|---|---|
| BDT-HT00048-BG | **160.00** |

**Saint Laurent**
Leaves Beige Matt
60 x 120 cm
Rectified
Shade Variance: V2
0.95 cm

| | ₪ M² |
|---|---|
| BDT-HT00032-BG | **160.00** |

**Saint Laurent**
Carved Beige Matt
60 x 120 cm
Rectified
Shade Variance: V2
0.95 cm

| | ₪ M² |
|---|---|
| BDT-HT00051-BG | **160.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Sensoria**
Puro Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
1 cm

| | ₯ M² |
|---|---|
| DCL-GCSO10R-PUR | **190.00** |

*Also available in size 120 x 120 cm & Slab 120 x 278 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Soul**
White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| CEU-120SOUWH | **165.00** |

*Also available in size 120 x 120 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Soul**
Ivory Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₱ M² |
|---|---|
| CEU-120SOUIV | **165.00** |

*Also available in size 120 x 120 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Soul**
Grey Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₯ M² |
|---|---|
| CEU-60SOUGR | **145.00** |

**Soul**
Grey Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| CEU-120SOUGR | **165.00** |

*Also available in size 120 x 120 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Surround**
60 x 120 cm
0.9 cm

| Rectified | | Non-Rectified | |
|---|---|---|---|
| Shape **Matt** | | Shape **Grip** | |
| Slip Resistance: R10 | | Slip Resistance: R11 | |
| Shade Variance: V2 | ฿ *M²* | Shade Variance: V2 | ฿ *M²* |
| PAN-APGXSD20 | **165.00** | PAN-APGXSD25 | **165.00** |

**Surround**
Shape Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ฿ *M²* |
|---|---|
| PAN-APGWSD20 | **130.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Surround**
60 x 120 cm
0.9 cm

**Rectified**
Draft **Matt**
Slip Resistance: R10
Shade Variance: V2

| | ₪ M² |
|---|---|
| PAN-APGXSD10 | **165.00** |

**Non-Rectified**
Draft **Grip**
Slip Resistance: R11
Shade Variance: V2

| | ₪ M² |
|---|---|
| PAN-APGXSD15 | **165.00** |



**Surround**
Draft Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₪ M² |
|---|---|
| PAN-APGWSD10 | **130.00** |

*Also available in size 60 x 120 cm in 2 cm thickness, R11 for Outdoor Use

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Vitesse**
Grit Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₱ M² |
|---|---|
| BDT-VIT-60120M-GRIT | **145.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Vitesse**
Mud Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-VIT-60120M-MUD | **145.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Vitesse**
Off White Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₱ M² |
|---|---|
| BDT-VIT-60120M-WH | **145.00** |

*Also available in 2 cm thickness, R12 for Outdoor Use

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Zimba**
Light Grey Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
0.8 cm

| | ฿ M² |
|---|---|
| BDT-1279119805981031 | **200.00** |

**Zimba**
Black Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
0.8 cm

| | ฿ M² |
|---|---|
| BDT-1279119805981004 | **200.00** |

**Zimba**
Beige Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10 (B)
0.8 cm

| | ฿ M² |
|---|---|
| BDT-1279119805981013 | **200.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Wild**
Greige Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₯ M² |
|---|---|
| DCL-GCWD11R-GRG | **190.00** |

*Also available in 2 cm thickness, R11 for Outdoor Use

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Wild**
Bianco Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₪ M² |
|---|---|
| DCL-G9WD10R-BI | **150.00** |

**Wild**
Bianco Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₪ M² |
|---|---|
| DCL-GCWD10R-BI | **190.00** |

*Also available in size 120 x 120 cm, Slab 120 x 278 cm & 60 x 120 cm, 2 cm thickness, R11 for Outdoor Use

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

# TRAVERTINE

**Tivoli** 100
**Narona** 102

**Tivoli**
Crema Veincut Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₱ M² |
|---|---|
| BDT-VEI12602 | **190.00** |

**Tivoli**
Crema Veincut Rigato Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₱ M² |
|---|---|
| BDT-VEIRIG02 | **200.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Tivoli**
Bianco Veincut Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₫ M² |
|---|---|
| BDT-VEI12601 | **190.00** |



**Tivoli**
Bianco Veincut Rigato Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.9 cm

| | ₫ M² |
|---|---|
| BDT-VEIRIG01 | **200.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Narona**
Beige Matt
120 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V3
0.9 cm

| | ₪ M² |
|---|---|
| BDT-NARO-120120M-BG | **185.00** |



**Narona**
60 x 120 cm
Rectified
0.9 cm

Beige **Matt**
Slip Resistance: R10
Shade Variance: V3

| | ₪ M² |
|---|---|
| BDT-NARO-60120M-BG | **145.00** |

Beige **Polished**
Shade Variance: V3

| | ₪ M² |
|---|---|
| BDT-NARO-60120P-BG | **175.00** |

*Also available in size 120 x 120 cm, Polished & Slab 120 x 260 cm, Matt & Polished

Indoor Use | Indoor & Outdoor Use | Wall & Floor Use

For more technical information, please see page 181

**Narona**
Bianco Matt
120 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V3
0.9 cm

| | ฿ M² |
|---|---|
| BDT-NARO-120120M-BI | **185.00** |



**Narona**
60 x 120 cm
Rectified
0.9 cm

Bianco **Matt**
Slip Resistance: R10
Shade Variance: V3

| | ฿ M² |
|---|---|
| BDT-NARO-60120M-BI | **145.00** |

Bianco **Polished**
Shade Variance: V3

| | ฿ M² |
|---|---|
| BDT-NARO-60120P-BI | **175.00** |

*Also available in size 120 x 120 cm, Polished & Slab 120 x 260 cm, Matt & Polished

For more technical information, please see page 181

Indoor Use | Indoor & Outdoor Use | Wall & Floor Use

**Narona**
60 x 120 cm
Rectified
0.9 cm

| Miele **Matt** | | Miele **Polished** | |
|---|---|---|---|
| Slip Resistance: R9 | | Shade Variance: V2 | |
| Shade Variance: V3 | ₪ *M²* | | ₪ *M²* |
| BDT-NARO-60120M-MIE | **145.00** | BDT-NARO-6012P-MIE | **175.00** |

*Also available in Slab 120 x 260 cm




Indoor Use | Indoor & Outdoor Use | Wall & Floor Use

For more technical information, please see page 181

# TERRAZZO

**Blend** 106
**Colore** 107
**Essence** 108
**Macchia** 109
**Nicosia** 110
**Vienna** 111
**Perla** 112

**Blend**
Gravel Silver Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-GRA6003 | **160.00** |



**Blend**
Gravel Silver Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-GRA12603 | **195.00** |

*Matching with Blend Dune, see page 54

Gravel Silver

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Colore**
Colore Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R9
0.8 cm

| | ₪ M² |
|---|---|
| BDT-2609119805981001 | **195.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Essence**
Colonial Cristalli Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ₪ M² |
|---|---|
| BDT-CRI6001 | **160.00** |



**Essence**
Forest Terrazzo Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ₪ M² |
|---|---|
| BDT-TER6002 | **160.00** |



**Essence**
Colonial Terrazzo Matt
60 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
1 cm

| | ₪ M² |
|---|---|
| BDT-TER6001 | **160.00** |

*Matching with Materia, see page 25

Colonial Terrazzo

Forest Terrazzo

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Macchia**
Grey Matt
59.8 x 59.8 cm
Rectified
Slip Resistance: R9

0.8 cm

BDT-1266059805981034 | ₺ M² **165.00**

**Macchia**
Beige Matt
59.8 x 59.8 cm
Rectified
Slip Resistance: R9

0.8 cm

BDT-1266059805981043 | ₺ M² **165.00**

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Nicosia**
Avorio Matt
60 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V4
0.89 cm

| | ₪ M² |
|---|---|
| BDT-NIC-60120M-AV | **145.00** |

**Nicosia**
Bronzo Matt
60 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V4
0.89 cm

| | ₪ M² |
|---|---|
| BDT-NIC-60120M-BRZ | **145.00** |

*Also available in Slab 120 x 280 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Vienna**
Steel Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₪ M² |
|---|---|
| BDT-VIE-60120M-STL | **145.00** |



**Vienna**
Black Matt
60 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₪ M² |
|---|---|
| BDT-VIE-60120M-BLK | **145.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Perla**
Veneziana Polished
30 x 90 cm
Rectified
Shade Variance: V1
0.9 cm

| | ฿ M² |
|---|---|
| BDT-5903943502530-VE | **175.00** |

Indoor Use
Wall Use

For more technical information, please see page 181

# WOOD

**Beach House** 114
**Broummana** 115
**Canazei** 116
**Classica** 117
**Foreste D'Italia** 118
**New Derby** 119
**Roots** 120
**Nuance** 122
**Sherwood** 123
**Suomi** 124
**Sverigo** 125
**Tabulae** 126

**Beach House**
Snow Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V4
0.9 cm

| | ₫ M² |
|---|---|
| BDT-BCH-20120M-SN | **140.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Broummana**
Cedar Matt
20 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-BROU-20120M-CE | **135.00** |

**Broummana**
Henna Matt
20 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₯ M² |
|---|---|
| BDT-BROU-20120M-HE | **135.00** |

*Also available in Slab 120 x 260 cm




For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Canazei**
Light Matt
20 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₪ M² |
|---|---|
| BDT-CA002N-LI | **160.00** |

**Canazei**
Amber Matt
20 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₪ M² |
|---|---|
| BDT-CA492N-AM | **160.00** |

**Canazei**
Greige Matt
20 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.9 cm

| | ₪ M² |
|---|---|
| BDT-CA502N-GRG | **160.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Classica**
Cream Matt
9.2 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.7 cm

| | ₪ M² |
|---|---|
| BDT-5901503224182-CR | **120.00** |

**Classica**
Beige Matt
9.2 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.7 cm

| | ₪ M² |
|---|---|
| BDT-5901503224205-BG | **120.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Foreste D'Italia**
Bianco Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V3
0.85 cm

| | ₪ M² |
|---|---|
| DCL-21FI10R85-BI | **155.00** |

**Foreste D'Italia**
Beige Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V3
0.85 cm

| | ₪ M² |
|---|---|
| DCL-21FI01R85BG | **155.00** |

**Foreste D'Italia**
Noce Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V3
0.85 cm

| | ₪ M² |
|---|---|
| DCL-21FI09R85-NO | **155.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**New Derby**
Betulla Matt
20 x 120 cm
Rectified
Slip Resistance: R10 (A+B)
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| BDT-6711455-BET | **160.00** |

**New Derby**
Miele Matt
20 x 120 cm
Rectified
Slip Resistance: R10 (A+B)
Shade Variance: V2
0.95 cm

| | ₯ M² |
|---|---|
| BDT-6711460-MIE | **160.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Roots**
Honey Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

0.9 cm

| | ₪ M² |
|---|---|
| FAP-FPVZ-20X120-HON | **200.00** |

**Roots**
Taupe Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V2

0.9 cm

| | ₪ M² |
|---|---|
| FAP-FPV0-20X120-TAU | **200.00** |

*Also available in Chevron size 7.5 x 45 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Roots**
Tobacco Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V2
0.9 cm

| | ₯ M² |
|---|---|
| FAP-FPV1-20X120-TAB | **200.00** |

**Roots**
Gold Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V2
0.9 cm

| | ₯ M² |
|---|---|
| FAP-FPVY-20X120-GLD | **200.00** |

*Also available in Chevron size 7.5 x 45 cm

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Nuance**
Tabac Matt
20 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | ₪ M² |
|---|---|
| PAN-PG0N140 | **200.00** |

**Nuance**
Tabac Matt
30 x 120 cm
Rectified
Slip Resistance: R10
Shade Variance: V3
0.95 cm

| | ₪ M² |
|---|---|
| PAN-PG6N140 | **200.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Sherwood**
Oak Matt
26 x 160 cm
Rectified
Slip Resistance: R10
Shade Variance: V4

0.9 cm

| | ฿ M² |
|---|---|
| BDT-SHR-26160M-OAK | **150.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Suomi**
White Matt
20 x 120 cm
Rectified
Slip Resistance: R9
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-5901503220757-WH | **140.00** |

*Also available in size 60 x 120 cm in 2 cm thickness, R11 for Outdoor Use

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Sverigo**
Grey Matt
9.2 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.7 cm

| | ฿ M² |
|---|---|
| BDT-5901503224168-GY | **120.00** |

**Sverigo**
Natural Matt
9.2 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.7 cm

| | ฿ M² |
|---|---|
| BDT-5901503224106-NA | **120.00** |

**Sverigo**
Gold Matt
9.2 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.7 cm

| | ฿ M² |
|---|---|
| BDT-5901503224120-GD | **120.00** |

**Sverigo**
Honey Matt
9.2 x 60 cm
Rectified
Slip Resistance: R10
Shade Variance: V2
0.7 cm

| | ฿ M² |
|---|---|
| BDT-5901503224144-HO | **120.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Tabulae**
Refined Fieno Grip
20 x 120 cm
Rectified
Slip Resistance: R11
Shade Variance: V2

0.85 cm

GAR-0021157

₪ M²
**185.00**

**Tabulae**
Refined Miele Grip
20 x 120 cm
Rectified
Slip Resistance: R11
Shade Variance: V2

0.85 cm

GAR-0021158

₪ M²
**185.00**

*Also available in Chevron size 15 x 85 cm

Indoor & Outdoor Use

Wall & Floor Use

For more technical information, please see page 181

# METAL

**Grunge** 128

**Grunge**
White Matt
60 x 120 cm
Rectified
Shade Variance: V3

1 cm

| | ₽ M² |
|---|---|
| BDT-5901503226438-WH | **165.00** |

WALL FLOOR

**Grunge**
Turquoise Matt
60 x 120 cm
Rectified
Shade Variance: V3

1 cm

| | ₽ M² |
|---|---|
| BDT-5901503226414-TU | **165.00** |

WALL FLOOR

Indoor Use  Indoor & Outdoor Use

For more technical information, please see page 181

**Grunge**
Rust Matt
60 x 120 cm
Rectified
Shade Variance: V3
1 cm

| | ₯ M² |
|---|---|
| BDT-5901503226391-RU | **165.00** |

WALL FLOOR

**Grunge**
Blue Matt
60 x 120 cm
Rectified
Shade Variance: V3
1 cm

| | ₯ M² |
|---|---|
| BDT-5901503226377-BL | **165.00** |

WALL FLOOR

For more technical information, please see page 181

Indoor Use
Indoor & Outdoor Use

# SOLID COLOUR

**Cielo E Terra** 132
**Deep Blue** 135
**Ice** 136
**Royal Place** 137

**Cielo E Terra**
Nero Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

| | ₱ M² |
|---|---|
| BDT-1195119805981277 | **200.00** |

**Cielo E Terra**
Verde Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

| | ₱ M² |
|---|---|
| BDT-1195119805981280 | **200.00** |

*__Verde Matt__ also available in Slab 119.8 x 274.8 cm

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Cielo E Terra**
Beige Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

BDT-195119805981219

৳ *M²*
**200.00**

**Cielo E Terra**
Polvere Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.8 cm

BDT-195119805981225

৳ *M²*
**200.00**

*Also available in Slab 119.8 x 274.8 cm

Polvere

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Cielo E Terra**
Bianco Matt
59.8 x 59.8 cm
Rectified
Slip Resistance: R9
Shade Variance: V1
0.8 cm

| | ₯ M² |
|---|---|
| BDT-1195059805981210 | **190.00** |

**Cielo E Terra**
Bianco Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R9
Shade Variance: V1
0.8 cm

| | ₯ M² |
|---|---|
| BDT-1195119805981207 | **200.00** |

**Cielo E Terra**
Blu Matt
59.8 x 119.8 cm
Rectified
Slip Resistance: R10
Shade Variance: V1
0.85 cm

| | ₯ M² |
|---|---|
| BDT-1195119805981067 | **200.00** |

Blu

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Deep Blue**
Blue Matt
30 x 90 cm
Rectified
Shade Variance: V1
0.9 cm

| | ₯ M² |
|---|---|
| BDT-5903943502455-BL | **175.00** |




For more technical information, please see page 181

Indoor Use
Wall Use

**Ice**
Bianco Matt
120 x 120 cm
Rectified
Shade Variance: V1
0.9 cm

| | ฿ M² |
|---|---|
| BDT-ICE-120120M-BI | **185.00** |

WALL FLOOR



**Ice**
60 x 120 cm
Rectified
Shade Variance: V1
0.9 cm

| Bianco **Matt** | ฿ M² | Bianco **Polished** | ฿ M² |
|---|---|---|---|
| BDT-ICE-60120M-BI | **145.00** | BDT-ICE-60120P-BI | **175.00** |

WALL FLOOR | WALL FLOOR

*Also available in Slab 120 x 260 cm & Polished finish for 120 x 120 cm

Indoor Use | Indoor & Outdoor Use

For more technical information, please see page 181

**Royal Place**
White Polished
29.8 x 74.8 cm
Rectified
Shade Variance: V1
1 cm

| | ₪ M² |
|---|---|
| BDT-1162029807481001 | **180.00** |



**Royal Place**
Frame White Polished
29.8 x 74.8 cm
Rectified
Shade Variance: V1
1 cm

| | ₪ M² |
|---|---|
| BDT-1162029807481013 | **180.00** |

For more technical information, please see page 181

Indoor Use
Wall Use

# SMALL FORMAT

**Biselado** 140
**Masovia** 142
**Frammenti** 152
**Progetto 1962** 154
**Workshop** 156
**Havana** 160
**Eolie** 162
**London** 165
**Paris** 166
**Sorrentina** 167
**Manufatti** 168
**Pastel** 169
**Liso Floor** 171
**Liso Wall** 171

**Biselado**
White Polished
10 x 20 cm
Non-Rectified
Shade Variance: V1
0.7 cm

| | ₪ M² |
|---|---|
| BDT-1020-BEVEL-WHG | **135.00** |

Indoor Use
Wall Use

For more technical information, please see page 181

For more technical information, please see page 181

Indoor Use

Wall Use

**Masovia**
Bianco Matt
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781070 | **165.00** |

**Masovia**
Bianco Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781064 | **165.00** |

**Masovia**
Nero Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781046 | **165.00** |

**Masovia**
Nero Matt
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781076 | **165.00** |

Indoor Use
Wall Use

For more technical information, please see page 181

**Masovia**
Avorio A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ฿ M² |
|---|---|
| BDT-1320029800781019 | **165.00** |

**Masovia**
Avorio B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ฿ M² |
|---|---|
| BDT-1320029800781022 | **165.00** |

For more technical information, please see page 181

Indoor Use
Wall Use

**Masovia**
Griggio A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781055 | **165.00** |

**Masovia**
Griggio B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781058 | **165.00** |

Indoor Use
Wall Use

For more technical information, please see page 181

**Masovia**
Senape A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781007 | **165.00** |

**Masovia**
Senape B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781010 | **165.00** |

For more technical information, please see page 181

Indoor Use
Wall Use

**Masovia**
Polvere A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2

1 cm

| | ₯ M² |
|---|---|
| BDT-1320029800781049 | **165.00** |

**Masovia**
Polvere B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2

1 cm

| | ₯ M² |
|---|---|
| BDT-1320029800781052 | **165.00** |

**Masovia**
Polvere C Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2

1 cm

| | ₯ M² |
|---|---|
| BDT-1320029800781085 | **165.00** |

Indoor Use  Wall Use

For more technical information, please see page 181

**Masovia**
Rubino B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ฿ M² |
|---|---|
| BDT-1320029800781016 | **165.00** |

**Masovia**
Rubino A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ฿ M² |
|---|---|
| BDT-1320029800781013 | **165.00** |




For more technical information, please see page 181

Indoor Use
Wall Use

**Masovia**
Cobalto A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781031 | **165.00** |

**Masovia**
Cobalto B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781034 | **165.00** |

Indoor Use
Wall Use

For more technical information, please see page 181

**Masovia**
Turchese A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781037 | **165.00** |

**Masovia**
Turchese B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781040 | **165.00** |

For more technical information, please see page 181

Indoor Use
Wall Use

**Masovia**
Blu Marino A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781025 | **165.00** |

**Masovia**
Blu Marino B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781028 | **165.00** |

**Masovia**
Blu Marino C Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ₪ M² |
|---|---|
| BDT-1320029800781082 | **165.00** |



Blu Marino A + B + C

Indoor Use  Wall Use

For more technical information, please see page 181

**Masovia**
Verde A Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ฿ M² |
|---|---|
| BDT-1320029800781001 | **165.00** |

**Masovia**
Verde B Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ฿ M² |
|---|---|
| BDT-1320029800781004 | **165.00** |

**Masovia**
Verde C Polished
7.8 x 29.8 cm
Non-Rectified
Shade Variance: V2
1 cm

| | ฿ M² |
|---|---|
| BDT-1320029800781079 | **165.00** |

Verde A + B + C

For more technical information, please see page 181

Indoor Use
Wall Use

**Frammenti**
Grigio Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-74FR05-GR — ₪ M² **185.00**

**Frammenti**
Nero Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-74FR08-NE — ₪ M² **185.00**

**Frammenti**
Azzurro Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-74FR02-AZ — ₪ M² **185.00**



**Frammenti**
Bianco Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-74FR10-BI — ₪ M² **185.00**

**Frammenti**
Rosa Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-74FR16-RO — ₪ M² **185.00**

**Frammenti**
Verde Acqua Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-74FR04-VA — ₪ M² **185.00**

Indoor & Outdoor Use  Wall Use

For more technical information, please see page 181

**Frammenti**
Blu Notte Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

| | ₪ M² |
|---|---|
| DCL-74FR12-BN | **185.00** |

**Frammenti**
Bianco Macro Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ₪ M² |
|---|---|
| DCL-20FR10MA-BI | **135.00** |



**Frammenti**
Azzuro Macro Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ₪ M² |
|---|---|
| DCL-20FR02MA-AZ | **135.00** |



**Frammenti**
Nero Macro Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ₪ M² |
|---|---|
| DCL-20FR08MA-NE | **135.00** |

For more technical information, please see page 181

Indoor & Outdoor Use | Wall & Floor Use | Wall Use

**Progetto 1962**
Canapa Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

| | ₱ M² |
|---|---|
| DCL-74PO07-CAN | **190.00** |

**Progetto 1962**
Topazio Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

| | ₱ M² |
|---|---|
| DCL-74PO22-TOP | **190.00** |

**Progetto 1962**
Acqua Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

| | ₱ M² |
|---|---|
| DCL-74PO32-ACQ | **190.00** |

Canapa Brick

Topazio Brick

Indoor & Outdoor Use

Wall Use

For more technical information, please see page 181

**Progetto 1962**
Ciliegia Brick Polished
7.5 x 40 cm
Non-Rectified
Shade Variance: V2
0.85 cm

| | ₯ M² |
|---|---|
| DCL-74PO16-CIL | **190.00** |

**Progetto 1962**
Origini Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ₯ M² |
|---|---|
| DCL-20PO00ORA | **170.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use
Wall Use

**Workshop**
Crystal Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

PAN-PBTWS30 — ฿ M² **200.00**

**Workshop**
Opal Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

PAN-PBTWS60 — ฿ M² **200.00**

**Workshop**
Core Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

PAN-PBTWS20 — ฿ M² **200.00**

Crystal & Core

Indoor Use  Wall Use

For more technical information, please see page 181

**Workshop**
Rune Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

| | ฿ M² |
|---|---|
| PAN-PBTWS70 | **200.00** |

**Workshop**
Jade Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

| | ฿ M² |
|---|---|
| PAN-PBTWS40 | **200.00** |




Rune & Jade

For more technical information, please see page 181

Indoor Use
Wall Use

**Workshop**
Jasmine Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

| | ฿ M² |
|---|---|
| PAN-PBTWS50 | **200.00** |

**Workshop**
Amber Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

| | ฿ M² |
|---|---|
| PAN-PBTWS00 | **200.00** |

Indoor Use  Wall Use

For more technical information, please see page 181

**Workshop**
Spice Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

| | ฿ M² |
|---|---|
| PAN-PBTWS80 | **200.00** |

**Workshop**
Berry Polished
6 x 24.6 cm
Non-Rectified
Shade Variance: V3
0.85 cm

| | ฿ M² |
|---|---|
| PAN-PBTWS10 | **200.00** |

For more technical information, please see page 181

Indoor Use
Wall Use

**Havana**
Old Havana Mix Matt
10 x 20 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4
1 cm

| | Đ M² |
|---|---|
| CIR-1052963 | **200.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Havana**
Havana Sky Matt
20 x 40 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4
1 cm

| | ₯ M² |
|---|---|
| CIR-1053373 | **200.00** |




For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use



**Eolie**
Lipari Matt
15 x 15 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4
0.83 cm

BDT-EOL-1515M-LIP

₯ M²
**145.00**

**Eolie**
Stromboli Matt
15 x 15 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4
0.83 cm

BDT-EOL-1515M-STR

₯ M²
**145.00**

Lipari

Indoor & Outdoor Use

Wall & Floor Use

For more technical information, please see page 181

**Eolie**
Vulcano Matt
15 x 15 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4
0.83 cm

BDT-EOL-1515M-VUL

₯ M²
**145.00**

**Eolie**
Filicudi Matt
15 x 15 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4
0.83 cm

BDT-EOL-1515M-FIL

₯ M²
**145.00**

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Eolie**
Panarea Matt
15 x 15 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4
0.83 cm

BDT-EOL-1515M-PAN

₯ M²
**145.00**

**Eolie**
Salina Matt
15 x 15 cm
Non-Rectified
Slip Resistance: R10
Shade Variance: V4
0.83 cm

BDT-EOL-1515M-SAL

₯ M²
**145.00**

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**London**
Soho Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ฿ M² |
|---|---|
| DCL-20LD00SOA-SOH | **170.00** |

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Paris**
Saint Germain Blu Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ₪ M² |
|---|---|
| DCL-20PR00SBA-SGB | **170.00** |

**Paris**
Bercy Nero Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ₪ M² |
|---|---|
| DCL-20PR00YNA-BEN | **170.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Sorrentina**
Nocelle Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ฿ M² |
|---|---|
| DCL-20SN00NOA | **170.00** |

**Sorrentina**
Laurito Matt
20 x 20 cm
Non-Rectified
Slip Resistance: R9
Shade Variance: V2
0.85 cm

| | ฿ M² |
|---|---|
| DCL-20SN00LAA | **170.00** |

Laurito

For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

**Manufatti**
Sottobosco Polished
20 x 20 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-20MI22-SOT

₯ M²
**200.00**

WALL FLOOR

**Manufatti**
Aquamarina Polished
20 x 20 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-20MI03-ACQ

₯ M²
**200.00**

WALL FLOOR

**Manufatti**
Pesca Polished
20 x 20 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-20MI06-PES

₯ M²
**200.00**

WALL FLOOR

**Manufatti**
Nuvola Polished
20 x 20 cm
Non-Rectified
Shade Variance: V2
0.85 cm

DCL-20MI10-NUV

₯ M²
**200.00**

WALL FLOOR

Indoor Use
Indoor & Outdoor Use

For more technical information, please see page 181

**Pastel**
White Matt
20 x 20 cm
Non-Rectified
Shade Variance: V1
0.65 cm

| | ฿ M² |
|---|---|
| BDT-1136020002001088 | **100.00** |



**Pastel**
White Polished
20 x 20 cm
Non-Rectified
Shade Variance: V1
0.65 cm

| | ฿ M² |
|---|---|
| BDT-1002020002001070 | **100.00** |

For more technical information, please see page 181

Indoor Use
Wall Use

Indoor Use  Wall Use

For more technical information, please see page 181

**Liso Floor**
Bianco Matt
20 x 20 cm
Non-Rectified
Shade Variance: V1
0.6 cm

| | ₪ M² |
|---|---|
| BDT-P800-20X20-BI | **110.00** |

WALL FLOOR

**Liso Floor**
Nero Matt
20 x 20 cm
Non-Rectified
Shade Variance: V1
0.6 cm

| | ₪ M² |
|---|---|
| BDT-P820-20X20-NE | **145.00** |

WALL FLOOR

**Liso Wall**
Bianco Matt
10 x 20 cm
Non-Rectified
Shade Variance: V1
0.68 cm

| | ₪ M² |
|---|---|
| BDT-001.1-10X20-BI | **140.00** |

**Liso Wall**
Bianco Polished
10 x 20 cm
Non-Rectified
Shade Variance: V1
0.68 cm

| | ₪ M² |
|---|---|
| BDT-001-10X20-BI | **140.00** |

**Liso Wall**
Nero Matt
10 x 20 cm
Non-Rectified
Shade Variance: V1
0.68 cm

| | ₪ M² |
|---|---|
| BDT-212.1-10X20-NE | **200.00** |

**Liso Wall**
Nero Polished
10 x 20 cm
Non-Rectified
Shade Variance: V1
0.68 cm

| | ₪ M² |
|---|---|
| BDT-212-10X20-NE | **200.00** |

**Liso Wall**
Azul Marinho Matt
10 x 20 cm
Non-Rectified
Shade Variance: V1
0.68 cm

| | ₪ M² |
|---|---|
| BDT-625.1-10X20-AZ | **200.00** |

**Liso Wall**
Amaredo Torrado Polished
10 x 20 cm
Non-Rectified
Shade Variance: V1
0.68 cm

| | ₪ M² |
|---|---|
| BDT-020-10X20-AM | **200.00** |

For more technical information, please see page 181

Indoor Use | Indoor & Outdoor Use | Wall Use



# GLASS MOSAICS



**Blends** 174
**Fog** 175
**Solid Colors** 175



**Blends**
Menorca Mix Glass Mosaic Glossy
31.6 x 31.6 cm
Non-Rectified
Shade Variance: V4
0.4 cm

| | ₯ M² |
|---|---|
| BDT-BLE-7534S-MEN | **195.00** |

Indoor & Outdoor Use
Wall & Floor Use

For more technical information, please see page 181

**Fog**
Azul Celeste Glass Mosaic Glossy
31.6 x 31.6 cm
Non-Rectified
Shade Variance: V3
0.4 cm

| | ₪ M² |
|---|---|
| BDT-FOG-3004S-CEL | **165.00** |

**Solid Colors**
Bianco Glossy
31.6 x 31.6 cm
Non-Rectified
Shade Variance: V1
0.4 cm

| | ₪ M² |
|---|---|
| BDT-SOLID-2001S-BLA | **175.00** |




For more technical information, please see page 181

Indoor & Outdoor Use
Wall & Floor Use

# SLAB FABRICATION FACILITY

**Our Slab Fabrication Facility contains state of the art equipment including three, 5 Axis water jet cutting machines, a skirting and profiling machine and several multi-blade cutting devices.**

Additionally, it houses a full-service technical laboratory, installation workshop, research & development centre for bathrooms and a dedicated customer showroom for manufactured slab products. Without a doubt, it is a unique facility in the market and takes the company's capabilities and potential future opportunities to an exciting new level.

The facility will allow SANIPEX GROUP to accelerate the development of its slab product portfolio, offering new finishes, product types, categories and styles along with the ability to design and engineer customised solutions. In addition, SANIPEX will be able to offer a variety of value-added cutting services for tiles such as skirting, grooving, profiling and resizing.



# CUTTING & CUSTOMISATION

## WHAT WE DO

We facilitate the precision cutting of porcelain stoneware tiles and slabs to exact specifications for a seamless fit before handover.

Our state-of-the-art Slab Fabrication Facility in Jebel Ali, Dubai, houses advanced machinery, including 5 Axis water jet cutting machines and a skirting and profiling machine. This setup offers endless, cost-effective design possibilities for the discerning client.

## WHAT WE OFFER

One-of-a-kind solutions tailored to your requirements are crafted by our in-house skilled artisans. To broaden the capabilities, we offer a range of value-added cutting services such as steps, skirting, custom mosaic cutting, grooving, profiling, and resizing.

With an extensive supply of luxury tiles and slabs readily available at our Jebel Ali warehouse, we guarantee a fast turnaround of custom solutions, from design selection to delivery.

## TURN YOUR VISION INTO REALITY

Select your tile or slab of choice from our extensive collection, and our production team will assist in turning your vision into reality, delivered to suit your schedule.

Whether you need precision-cut mosaic spa tiles, a custom outdoor kitchen, or a large quantity of elegant wash basins and countertops, count on our expert team to deliver tailor-made results that align with your creative vision.

## OUR SERVICES

Bespoke Solutions expertly produced and cut by our new Slab Fabrication Facility. SANIPEX GROUP now offers new finishes, product types, categories and styles along with the ability to design and engineer customized cutting solutions.



Bespoke Kitchen / Bathroom Counters




Cut-To-Size



Steps



Grooving on Tiles



Skirtings



Mosaics



Bespoke Designs

## TILES & MOSAICS



## BESPOKE WATER-JET CUTTING

## STEPS & SKIRTING

*More customisable options available upon request.

SANIPEX
GROUP

## ADVICE ON LAYING, GROUTING & MAINTENANCE

IMPORTANT NOTE: TILES SHOULD BE LAID AND GROUTED ONLY BY PROFESSIONAL TILE LAYERS.

### TILING

Follow the simple rules below to guarantee perfect tiling results:

1) Check the floor slab is flat where the tiles are to be fitted.
2) Ensure that the tiles are correct as per its intended use before laying.
3) Dry lay the tiles, ensure intended lay-out will be achieved, mix if necessary by taking them from several boxes to achieve best results, before actual installation.
4) Use the correct adhesive and application tools, apply as per its manufacturer's recommendation.
5) For installing wall tiles, it is highly recommended to use class C2 adhesives, in compliance with the European standard EN 12004. Specifically, recommended is a white glue for non-slip ceramic covering materials.
6) For top-class results, add an elasticator, taking care to follow the manufacturer's instructions to the letter, and apply an even layer of glue on the underside of the tile. The thickness of the glue can be adjusted using the toothed side of the trowel.
7) Do not leave air pocket between substrate and the tiles.
8) Follow recommended joint for tiles.
9) Handle the tiles with care before and during tiling.

### GROUTING

In most cases, using cementitious grout, such as Fugabella by Kerakoll, is recommended. It is important to clean the surface thoroughly within the timeframe specified by the grout manufacturer. In case of epoxy grouts, such as the Kerapoxy series by Mapei, cleaning must be done "wet" to completely remove epoxy resin residue.

### CLEANING

Use cleaning tools that are perfectly clean themselves. Always rinse off surfaces. Use clean water alone if the surface is washed frequently.

### RECOMMENDED JOINTS:

| | |
|---|---|
| Rectified (Outdoor) | 3-5 mm approx. |
| Non-Rectified (Outdoor) | 5-6 mm approx. |
| Rectified (Indoor) | Minimum 2 mm |
| Non-Rectified (Indoor) | 3-4 mm approx. |
| Hexagon or similar shapes | 3-5 mm approx. |
| Modular pattern (Mix of sizes) | 3-5 mm approx. |

For tiles more than 30 cm width, with a lengthwise tiling layout, maximum 1/3 offset between panels.




### EDGES OF TILES

#### Non-Rectified

Natural edges after Kiln, resulting in each tile having slight size variance within same batch. Requires larger grout lines, giving more natural and traditional appearances.

Non-Rectified Edge (Slightly Angled)

#### Rectified

Mechanical process after production ensuring each edge is precise, straight, and uniform. It allows smaller grout lines to create a sleek and seamless look.



Rectified Edge (Squared)

## APPLYING THE ADHESIVE

The adhesive needs to be spread in straight lines, parallel to the short side of the tile to make it easier to push the air out.
The direction in which the adhesive is spread onto the substrate must be the same as the direction of the spreading on the back of the tile.

**OK** Correct application

**NO** Incorrect application



**OK** Spreading on substrate and tile in same direction

**NO** Spreading on substrate perpendicular to spreading on tile

## LEVELLING

An explanation on assessing surface flatness, checking flatness cannot be done with the tiles in vertical, inclined or cantilevered positions, but only as indicated by Standard EN 14411:2016: place a tile on a horizontal, stable surface, then place a straight-edge over the surface of the tile. If the maximum flatness deviation is equal to or less than 2 mm, the material is compliant with the standard. Levelling tools are also recommended to achieve great installation results.

## AFTER INSTALLATION CLEANING GUIDE DETAILS

For washing after laying and for end-of-work cleaning: wet the surface well with water before washing. Then use Fila Deterdek Pro diluted at a ratio of 1:5 or 1:10 (1 litre of product in 5 or 10 litres of water). Apply the solution a few square metres at a time, then add, allow contact time of 5 minutes, then work with a single disc cleaner or large brush. Remove any residues using a cloth or liquid vacuum cleaner and rinse with abundant water. Should any stubborn dirt residues remain, repeat the wash with more concentrated solutions, and use the Fila Deterdek without any additional water.

*Caution: Do not use Fila Deterdek Pro on polished marble or on any materials that are sensitive to acids. Before using on this material, carry out a test on a small surface area to check that it is actually resistant to the product. For items in aluminium, follow the instructions and use a soft sponge.*



BEFORE

AFTER

BEFORE

AFTER

RESIDUE REMOVER

## MAINTENANCE AND CLEANING

Routine maintenance cleaning. Simply clean slabs using a non-abrasive cloth, water and a neutral detergent; avoid acid or alkaline additives. All slabs are resistant to the dirt that can occur in a home or hospitality environment and pass the stainability by the Standard for the First Choice. Moreover, below recommended FILA cleaning products for particular surface and stain:

**MATT / OUTDOOR SURFACE**

| | PRODUCT | MANUFACTURER |
|---|---|---|
| Cement-Based Joint Cleaning After Building-Site | Detertek Pro | Fila |
| Epoxy-Material Joint Cleaning After Building-Site | CR 10 | Fila |
| Cleaning Advised Before Furnishing Premises | Cleaner Pro | Fila |
| Ordinary Maintenance | Cleaner Pro | Fila |
| | | |
| Removing Organic Stains (wine, fruit, coffee, nicotine)" | PS 87 Pro | Fila |
| Removing Greasy Subastances | PS 87 Pro | Fila |

**SEMI-POLISHED / POLISHED**

| | PRODUCT | MANUFACTURER |
|---|---|---|
| Cement-Based Joint Cleaning After Building-Site | Cleaner Pro | Fila |
| Epoxy-Material Joint Cleaning After Building-Site | CR 10 | Fila |
| Cleaning Advised Before Furnishing Premises | Cleaner Pro | Fila |
| Ordinary Maintenance | Cleaner Pro | Fila |
| | | |
| Removing Organic Stains (wine, fruit, coffee, nicotine)" | PS 87 Pro | Fila |
| Colured Stains | SR 95 | Fila |
| Removing Greasy Subastances | PS 87 Pro | Fila |

## DIMENSIONS TOLERANCE FROM WORK SIZE WITHIN 1 BATCH

| Porcelain - Technical Specifications | | | Standards | Values Required Non-Rectified | Rectified |
|---|---|---|---|---|---|
| Sizes Dimensions |  | Length and Width | ISO 10545-2 | ±0,6%, max 2mm | ±0,3%, max 1mm |
| | | Thickness | | ±5%, max 0,5mm | ±5%, max 0,5mm |
| | | Wedging | | ±0,5%, max 2mm | ±0,3%, max 1,5mm |
| | | Straightness of the edges | | ±0,5%, max 1,5mm | ±0,3%, max 0,8mm |
| | | Flatness | | ±0,5%, max 2mm | ±0,5%, max 2mm |

## DIFFERENCE BETWEEN NOMINAL TILE SIZE & WORK TILE SIZE (CALIBER)

**NOMINAL TILE SIZE**

Used by manufacturers and retailers to indicate the **approximate size** for tiles, and is usually stated on the box, catalogues and websites.

**WORK TILE SIZE (CALIBER)**

The **exact dimensions** of each individual tile, measured from edge to edge and might differ from production batches. Moreover, this variation on sizes is within standard norm of tolerance.

Due to the nature of ceramic production, small variations in work tile size are normal and accepted by international standards. Always allow appropriate grout joints during installation.

## CERAMIC SPECIFICATIONS

- Indoor
- Wall
- Water Absorption 5 - 10%
- Softer and easier to cut

## PORCELAIN SPECIFICATIONS

- Indoor & Outdoor
- Wall & Floor
- Water Absorption 0.1 - 0.5%
- Strong and impervious

## V SHADE

Nuances / Shade & Aspect Variation of tiles in the same collection.



| V0 | V1 | V2 | V3 | V4 |
|---|---|---|---|---|
| No Variation | Minimal Variation | Moderate Variation | High Variation | Random Variation |

## WHAT IS R (NON SLIP) RATING?

International standard of ramp testing on resistance to slipping of tiles when exposed to different level of moisture.

**R9** — Residential Dry Floors — 6* / 10*

**R10** — Bathrooms, Balconies, Kitchens & Dining Restaurants — 10* / 19*

**R11** — Wet Outdoor Floors & Swimming Pool Decks — 19* / 27*

**R11** — Ramps & Drive Ways — 27* / 35*

## TERMINOLOGY

**Rectified**

Tiles with straight edges, allows tiling arrangements with very narrow joints.

**Calibre**

It's the facial dimension (size) and is measured with a tool called a caliper. Using different caliber sizes results in a variation in grout joint widths.

**Water Absorption**

Measurement of how much moisture a tile is likely to absorb on on-going basis.

**Stain Resistance**

Method applicable to all working surfaces of tiles to determine their resistance to stains after 24 hours of applying a staining agent.

**FOR TECHNICAL DETAILS OF YOUR SELECTED TILES PLEASE CONTACT OUR SALES TEAM.**

## PORCELAIN TILES - APPLICATION BY FINISHES

**Matt** (Soft, Natural, Unglazed)

Wall: Indoor / Outdoor
Floor: Indoor / Outdoor (Dry Area)

**R-Rating: R9 - R10**

**Polished** (Shiny, Glossy, Brillante, Levigato, Lux)

Wall: Indoor / Outdoor
Floor: Indoor (Dry Area)

**Semi-Polished** (Satin, Silk, Levigato-Matt)

Wall: Indoor / Outdoor
Floor: Indoor (Dry Area)

**Grip** (Structured, Bush-Hammered, Out)

Wall: Indoor / Outdoor
Floor: Indoor / Outdoor

**R-Rating: R11 - R12**

## TILE APPLICATION ICONS

Indoor Use

Outdoor Use

Indoor & Outdoor Use

Floor Use

Wall Use

Wall & Floor Use



Vertical & Horizontal Use

# DIGITAL **PLATFORMS**

**www.sanipexgroup.com**
**info@sanipexgroup.com**

sanipexgroup_official

sanipexgroupofficial

company/sanipexgroup

sanipexgroup

sanipexgroup-bagnodesign

**shop online**
**@sanipexgroup.com**

**DISCLAIMER**
This brochure replaces the earlier brochure. | Prices & Product specifications are subject to change without prior notice. | Products are subject to availability. | Pictures are for representation only. | Actual product colours may differ. | Products do not come with accessories. | SANIPEX GROUP cannot be held responsible for any technical errors and reserves the right to make revisions without notice.

## OUR SHOWROOMS

### DUBAI

**BAGNODESIGN**
**Jumeirah Street, Umm Suqeim 1**
+971 4 507 6000
info@sanipexgroup.com

SANIPEX GALLERY
Between Junction 2 & 3, Sheikh Zayed Road
+971 4 507 6000
info@sanipexgroup.com

BAGNODESIGN
Between Junction 2 & 3, Sheikh Zayed Road
+971 4 507 6000
info@sanipexgroup.com

SANIPEX GALLERY / GYMKHANA
Umm Suqeim Street
+971 4 718 1754
info@sanipexgroup.com

BAGNODESIGN - Deira
Salahuddin Road
+971 4 239 7466
info@sanipexgroup.com

BAGNODESIGN
Umm Suqeim Street
+971 800 2782
info@sanipexgroup.com

### SHARJAH

SANIPEX GALLERY
Maleha Road
+971 4 507 6000
info@sanipexgroup.com

### AJMAN

BAGNODESIGN BYSTRO
Sheikh Khalifa Bin Zayed St, Al Rashidiya 1
+971 6 745 1021
info@sanipexgroup.com

### ABU DHABI

SANIPEX GALLERY
Waterfront Tower, Al Zahiya St.
+971 2 585 9222
info@sanipexgroup.com

BAGNODESIGN
+971 2 585 9759
info@sanipexgroup.com

### AL AIN

BAGNODESIGN
Sanaiya
+971 3 766 3300
info@sanipexgroup.com

### RAS AL KHAIMAH

SANIPEX GALLERY
Sheikh Muhammad Bin Salem Road
+971 7 235 7809
info@sanipexgroup.com

### QATAR

BAGNODESIGN - Doha
310 Airport Road, Bldg 332
+974 4 438 0200
info@bagnodesign.qa

BYSTRO - Doha
Showroom 01, Bldg 349, Salwa Road, Ain Khalid Area
+974 5 593 6432
info@bagnodesign.qa

### KSA

BAGNODESIGN - Riyadh
Hattin Area, Exit 1, Al-Thaghir Plaza, P.O. Box 7653
+966 11 489 5476
info@sanipexsaudi.com

BAGNODESIGN - Jeddah
Haddab Center, Prince Mohammed Bin Abdulaziz St, Ar Rawdah
+966 12 206 7232
info@sanipexsaudi.com

### UK

BAGNODESIGN - A & D Gallery
119 Charterhouse St, Barbican, London EC1M 6AA
+44 20 7553 6999
info@sanipexgroup.co.uk

BAGNODESIGN
Unit 1 Oakwell Park, Birstall, Leeds WF17 9LU
+44 1924 233977
info@bagnodesign.it

### FOR OVERSEAS & PROJECT ENQUIRIES

+971 4 507 6000
info@sanipexgroup.com

SANIPEXGROUP

WWW.SANIPEXGROUP.COM

SPX-AFF-2026A4-A-BG